at least one remote command center for managing healthcare at said plurality of health care locations; and

at least one network;

RA&M

wherein said plurality of health care locations are electronically connected to said at least one remote command center by the network, and wherein said at least one remote command center provides intensivist monitoring of the plurality of health care locations 24 hours per day, seven days per week.

- 16. (New) The system for providing continuous, expert network health care services from a remote location of claim 15 wherein said remote command center further comprises a computerized patient care management system for monitoring and treating individual patients at any of said plurality of healthcare locations.
- 17. (New) The system for providing continuous, expert network health care services from a remote location of claim 16 wherein said computerized patient care management system further comprises a data server/data warehouse for storing and analyzing data from the at least one remote command center.
- 18. (New) The system for providing continuous, expert network health care services from a remote location of claim 15 wherein each of the plurality of health care locations further comprises patient monitoring equipment electronically connected to the at least one remote command center over the network.

19. (New) The system for providing continuous, expert network health care services from a remote location of claim 18 wherein each health care location further comprises a nurses' station electronically connected to said monitoring equipment and to the at least one remote command center over the network.



- 20. (New) The system for providing continuous, expert network health care services from a remote location of claim 15 wherein the healthcare locations comprise intensive care units (ICU's).
- 21. (New) The system for providing continuous, expert network health care services from a remote location of claim 16 wherein said computerized patient care management system further comprises a relational database for storing a plurality of decision support algorithms and for prompting intensivists to provide care to patients based upon the any of the decision support algorithms.
- 22. (New) The system for providing continuous, expert network health care services from a remote location of claim 21 wherein said algorithms are selected from the group consisting of algorithms for treating:

Acalculous Cholecystitis, Acute Pancreatitis Algorithm, Acute Renal Failure-Diagnosis, Acute Renal Failure-Management & Treatment, Adrenal Insufficiency, Agitation and Anxiety, Depression & Withdrawal, Aminoglycoside Dosing and Therapeutic Montoring, an Amphotericin-B Treatment Guidelines, Analgesia, Antibiotic Classification & Costs, Antibiograms Algorithm, Antibiotic associated Colitis Algorithm, ARDS: Hemodynamic

May 9, 2002

Attorney Docket No. 2483-001

Management, ARDS: Steroid Use, ARDS: Ventilator Strategies, Asthma, Bleeding Patient,

Bloodstream Infections, Blunt Cardiac Injury, Bradyarrhythmias, Brain Death, Bronchodilator

Use in Ventilator Patients, Bronchoscopy & Thoracentesis Guidelines, Candiduria, Cardiogenic Shock, CardioPulmonary Resuscitation Guideline, Catheter Related Septicemia, a Catheter Replacement Strategies, Cervical Cord Injury, Congestive Heart Failure, Copd Exacerbation & Treatment, CXR (Indications), Dealing with Difficult patients and families, Diabetic Ketoacidosis, Dialysis, Diurectic Use, Drug Changes with Renal Dysfunction, Emergency Cardiac Pacing, Endocarditis Diagnosis and Treatment, Endocarditis Prophylaxis, End of Life Decisions, Endotracheal Tubes & Tracheotomy, Ethical Guidelines, Febrile Neutropenia, FUO, Fluid Resusditation, Guillain-Barre Syndrome, Heparin, Heparin-Induced Thrombocytopenia, Hepatic Encephalopathy, Hepatic Failure, HIV + Patent Infections, Hypercalcemia Diagnosis and Treatment, Hypercalcemia Insulin Treatment, Hyperkalemia: Etiology & Treatment, Hypernatremia: Etiology & Treatment, Hypertensive Crisis, Hypokalemia: Etiology & Treatment, Hyponatremia: Etiology & Treatment, Hypothermia, Identification of Cervical Cord Injury, Implantable Cardio-defibrillator, Intra-Aortic Balloon Device, Intracerebral Hemorrhage, Latex Allergy, Magnesium Administration, Management of Hypotension, Inotropes, Management of Patients with Ascites, Empiric Meningitis, Meningitis, a Myasthenia Gravis, Myocardial Infarction, Myocardial Infarction with left bundle branch block, Necrotizing Soft Tissue Infections, Neuromuscular Blockers, Neuromuscular Compleations of Critical Illness, Non-Infectious Causes of Fever, Non-Traumatic Coma, Noninvasive Modes of Ventilation, Nutritional Management, Obstertrical Complication, Oliguria, Oliguria, Open

May 9, 2002

Fractures, Open Fractures, Ophthalmic Infections, Organ Procurement Guidelines, PA Catheter

Guideline and Troubleshooting, Pancreatitis, Penetrating Abdominal Injury, Penetrating Chest

Injury, Penicillin Allergy, Penicillin Allergy, Permanent Pacemaker and Indications, Pneumonia Community Acquired, Pneumonia Hospital Acquired, Post-Op Bleeding, Post-Op Hypertension, Post-Op Hypertension, Post-Op Management of Abdominal, Post-Op Management of Carotid, Post-Op Management of Open Heart, Post-Op Management of Thoracotomy, Post-Op Myocardial Ischemia (Non-Cardiac Arrhythmias after Cardiac Surgery), Post-Op Power Weaning, Pressure Ulcers, Pulmonary Embolism Diagnosis, Pulmonary Embolism Treatment, Respiratory Isolation, Sedation, Seizure, Status Epilepticus, Stroke, Sub-Arachnoid Hemorrhage,Supra-Ventricular Tachyarrythmia,Supra-Ventricular Tachycardia, Wide Complex QRS Tachycardia, Therapeutic Drug Montoring, Thrombocytopenia, Thrombolytic Therapy, Transfusion Guidelines, Traumatic Brain Injury, Assessment of Sedation, Sedation, Septic Shock, Bolus Sliding Scale Midazolam, Short Term Sedation Process, Sinusitis, SIRS, Spinal Cord Injury, Steroid Replacement Strategy, Thyroid Disease, Transplant Infection Prophylaxis, Transplant Related Infections, Treatment of Airway Obstruction, Unknown Poisoning, Unstable Angina, Upper GI Bleeding Stress Prophylaxis, Vancomycin, Upper GI Bleeding Non-Variceal, Upper GI Bleeding Variceal, Use of Hematopoetic Growth Factors, Ventialtor Weaning, Ventialtor Weaning Protocol, Venous

23. (New) The system for providing continuous, expert network health care services from a remote location of claim 16 wherein said computerized patient care management system further comprises order writing software for providing knowledge-based recommendations and prescriptions for medication based upon the clinical data.

Thrombosis Diagnostic and Treatment, Venous Thromboembolism Phrophylaxis, Ventricular

Arrythmia, Warfarin, Warfarin Dosing, and Wound Healing Strategies.

May 9, 2002

6

Attorney Docket No. 2483-001

24. (New) The system for providing continuous, expert network health care services from a remote location of claim 16 wherein said computerized patient care management system further comprises knowledge-based vital sign/hemodynamic algorithms that prompt said intensivist to engage in early intervention.



25. (New) A method for providing continuous expert critical care comprising: monitoring patients in a plurality of ICU's;

communicating the information from the patient monitoring to at least one command center over a first network

receiving and analyzing the information from the patient monitoring at the command center over the first network; and providing guidance from the command center to the plurality of ICU's to take actions regarding patient care, wherein the providing guidance from the command center further comprises an intensivist reviewing decision support algorithms that provide guidance for treating a plurality of critical care conditions.

(New) The method for providing continuous expert critical care of claim 25 wherein the decision support algorithms are taken from the group consisting of algorithms for treating:
 Acalculous Cholecystitis, Acute Pancreatitis Algorithm, Acute Renal Failure-Diagnosis, Acute
 Renal Failure-Management & Treatment, Adrenal Insufficiency, Agitation and Anxiety,
 Depression & Withdrawal, Aminoglycoside Dosing and Therapeutic Montoring, an
 Amphotericin-B Treatment Guidelines, Analgesia, Antibiotic Classification & Costs,
 Antibiograms Algorithm, Antibiotic associated Colitis Algorithm, ARDS: Hemodynamic
 Management, ARDS: Steroid Use, ARDS: Ventilator Strategies, Asthma, Bleeding Patient,

May 9, 2002

Fax:703-391-2901

P.08

Shock, CardioPulmonary Resuscitation Guideline, Catheter Related Septicemia, a Catheter Replacement Strategies, Cervical Cord Injury, Congestive Heart Failure, Copd Exacerbation & Treatment, CXR (Indications), Dealing with Difficult patients and families, Diabetic Ketoacidosis, Dialysis, Diurectic Use, Drug Changes with Renal Dysfunction, Emergency Cardiac Pacing, Endocarditis Diagnosis and Treatment, Endocarditis Prophylaxis, End of Life Decisions, Endotracheal Tubes & Tracheotomy, Ethical Guidelines, Febrile Neutropenia, FUO, Fluid Resusditation, Guillain-Barre Syndrome, Heparin, Heparin-Induced Thrombocytopenia, Hepatic Encephalopathy, Hepatic Failure, HIV + Patent Infections, Hypercalcemia Diagnosis and Treatment, Hypercalcemia Insulin Treatment, Hyperkalemia: Etiology & Treatment, Hypernatremia: Etiology & Treatment, Hypertensive Crisis, Hypokalemia: Etiology & Treatment, Hyponatremia: Etiology & Treatment, Hypothermia, Identification of Cervical Cord Injury, Implantable Cardio-defibrillator, Intra-Aortic Balloon Device, Intracerebral Hemorrhage, Latex Allergy, Magnesium Administration, Management of Hypotension, Inotropes, Management of Patients with Ascites, Empiric Meningitis, Meningitis, a Myasthenia Gravis, Myocardial Infarction, Myocardial Infarction with left bundle branch block, Necrotizing Soft Tissue Infections, Neuromuscular Blockers, Neuromuscular Complications of Critical Illness, Non-Infectious Causes of Fever, Non-Traumatic Coma, Noninvasive Modes of Ventilation, Nutritional Management, Obstertrical Complication, Oliguria, Oliguria, Open

Bloodstream Infections, Blunt Cardiac Injury, Bradyarrhythmias, Brain Death, Bronchodilator

Use in Ventilator Patients, Bronchoscopy & Thoracentesis Guidelines, Candiduria, Cardiogenic

Guideline and Troubleshooting, Pancreatitis, Penetrating Abdominal Injury, Penetrating Chest

May 9, 2002

Injury, Penicillin Allergy, Penicillin Allergy, Permanent Pacemaker and Indications,

Fractures, Open Fractures, Ophthalmic Infections, Organ Procurement Guidelines, PA Catheter

RA&M

P. 09

Pneumonia Community Acquired, Pneumonia Hospital Acquired, Post-Op Bleeding, Post-Op Hypertension, Post-Op Hypertension, Post-Op Management of Abdominal, Post-Op Management of Carotid, Post-Op Management of Open Heart, Post-Op Management of Thoracotomy, Post-Op Myocardial Ischemia (Non-Cardiac Arrhythmias after Cardiac Surgery), Post-Op Power Weaning, Pressure Ulcers, Pulmonary Embolism Diagnosis, Pulmonary Embolism Treatment, Respiratory Isolation, Sedation, Seizure, Status Epilepticus, Stroke, Sub-Arachnoid Hemorrhage, Supra-Ventricular Tachyarrythmia, Supra-Ventricular Tachycardia, Wide Complex QRS Tachycardia, Therapeutic Drug Montoring, Thrombocytopenia, Thrombolytic Therapy, Transfusion Guidelines, Traumatic Brain Injury, Assessment of Sedation, Sedation, Septic Shock, Bolus Sliding Scale Midazolam, Short Term Sedation Process, Sinusitis, SIRS, Spinal Cord Injury, Steroid Replacement Strategy, Thyroid Disease, Transplant Infection Prophylaxis, Transplant Related Infections, Treatment of Airway Obstruction, Unknown Poisoning, Unstable Angina, Upper GI Bleeding Stress Prophylaxis, Vancomycin, Upper GI Bleeding Non-Variceal, Upper GI Bleeding Variceal, Use of Hematopoetic Growth Factors, Ventilator Weaning, Ventilator Weaning Protocol, Venous Thrombosis Diagnostic and Treatment, Venous Thromboembolism Phrophylaxis, Ventricular Arrythmia, Warfarin, Warfarin Dosing, and Wound Healing Strategies.

27. (New) The method for providing continuous expert critical care of claim 25 further comprising a data server/ data warehouse storing and analyzing patient data from the at least one command center and providing analysis in results over a second network to the at least one command center.

